




**THE
ULTIMATE
SLIDING DOOR
HARDWARE
SYSTEM.**


OPTIMUM 300

COMPLETE DOOR HARDWARE SYSTEM
DOORS TO 300KG



6m TRACK

300-6000



DOUBLE BRACKET

300-D

For 2 tracks, side-by-side



TRACK GUIDE

300-21



DOOR GUIDE ROLLER

300-BG

Floor or under-door mounted



2-WHEEL CARRIER

Steel wheels 300-2CS

Nylon wheels 300-2CN

Steel roller bearings



4-WHEEL CARRIER

Steel wheels 300-4CS

Nylon wheels 300-4CN


Steel roller bearings



OFFSET GUIDE

Angle bracket 300-1

Track guide 300-2



OVERHEAD GUIDE

300-22



TOP DOOR STOP

300-TS

Mount inside track



FLOOR STOP

300507B



LEVER BOLT

300-LL (open right-left, above)


300-LR (open left-right)

2-point top-bottom latch



HANDLE

800-H




DOOR CATCH

300-AG

Adjustable width

OPTIMUM 800

COMPLETE DOOR HARDWARE SYSTEM DOORS TO 800KG



6m TRACK


800-6000



TRACK GUIDE ROLLER

800-TG

Adds stability and security



4-WHEEL CARRIER

Steel 800-4CS

Nylon 800-4CN

Steel roller bearings



LEVER BOLT

800-LL (open right-left. above)

800-LR (open left-right)


2-point top-bottom latch



DOUBLE BRACKET

800-D

For 2 tracks, side-by-side



TRACK GUIDE


800-21



OFFSET GUIDE

Offset bracket 800-1

Track guide 800-2



OVERHEAD GUIDE

800-22



HANDLE

800-H



DOOR GUIDE ROLLER

800-BG

Floor or under-door mounted



DOOR GUIDE WHEEL

800-GW



TOP DOOR STOP

800-TS

Mount inside track



FLOOR STOP

300507B



DOOR CATCH

800-AG

Adjustable width

DOWNEE.COM.AU

MADE IN ITALY AT



	TRACK MOUNT SPACING						
OPTIMUM 300	120kg	200kg	250kg	300kg			
OPTIMUM 800		300kg	410kg	520kg	630kg	730kg	800kg
DISTANCE (mm)	1200	1100	1000	900	800	700	600

DESIGNED, FORGED AND MANUFACTURED IN-HOUSE AT COMUNELLO, ITALY'S FINEST HARDWARE COMPANY.
OPTIMUM SLIDING DOOR SYSTEM STANDS AS THE HIGHEST QUALITY SYSTEM AVAILABLE GLOBALLY.



FIND PRODUCT DETAILS INCLUDING CAD FILES AT DOWNEESUPPORT.COM.AU/SLIDE-DOOR-SYSTEMS